

2026 PRODUCT CATALOG

CNC Stone Tool Product Catalog

Professional Diamond & Carbide Cutters for Stone Engraving

CATEGORIES

15 Series

PRODUCTS

684+ Models

MATERIAL

**Sintered Diamond /
PCD**

APPLICATIONS

**Granite, Marble,
Ceramic**

Premium Quality Stone Engraving Tools | Manufacturer Direct

Table of Contents

Product categories and specifications

01	Sintered Diamond Cutters — Granite Cutting & Milling Granite Cutting & Milling	99 models
02	Sintered Diamond Cutters — Granite Relief Granite Relief	30 models
03	Granite Relief Specialized Cutters Relief Cutters	39 models
04	3D Sculpting Specialized Cutters 3D Sculpting	46 models
05	Sintered Mushroom Bit — Letter Engraving Mushroom Bit	13 models
06	PCD Stone Tool — Precision Engraving PCD Tools	158 models
07	Emery Diamond Cutters — Flat Head Emery Flat	41 models
08	Emery Diamond Cutters — Ball Nose Emery Ball Nose	26 models

Table of Contents

Product categories and specifications (continued)

09	Tapered Head Stone Cutters Tapered Head	27 models
10	Smelting Taper Stone Cutters Smelting Taper	6 models
11	Diamond Marble Engraving Bit Marble Engraving	90 models
12	Marble Round Sculpture Cutters Marble 3D	50 models
13	Foamed Ceramic Ball-Nose Cutter Foamed Ceramic Ball	13 models
14	Foamed Ceramic Dedicated — Flat Head Foamed Ceramic Flat	32 models
15	Carbide Cutters Carbide	14 models



Catalog at a Glance

684

TOTAL MODELS

15

CATEGORIES

\$33.79

MIN PRICE

\$569.19

MAX PRICE

#	CATEGORY	PRODUCTS	PRICE RANGE	KEY FEATURE
01	Granite Cutting & Milling	99	\$33.79 – \$164.79	Hard Fret
02	Granite Relief	30	\$69.39 – \$120.99	Hard
03	Relief Cutters	39	\$68.39 – \$165.99	Durable
04	3D Sculpting	46	\$90.00 – \$242.79	—
05	Mushroom Bit	13	\$81.59 – \$152.79	Line Carving
06	PCD Tools	158	\$103.59 – \$569.19	Injection Hole2mm
07	Emery Flat	41	\$39.78 – \$73.48	Fine-Sand
08	Emery Ball Nose	26	\$45.79 – \$78.39	—
09	Tapered Head	27	\$45.39 – \$66.39	—
10	Smelting Taper	6	\$66.99 – \$72.99	—
11	Marble Engraving	90	\$59.59 – \$198.69	Durable
12	Marble 3D	50	\$42.29 – \$78.59	Thread
13	Foamed Ceramic Ball	13	\$79.79 – \$262.29	—
14	Foamed Ceramic Flat	32	\$33.99 – \$212.99	Flat-End
15	Carbide	14	\$56.69 – \$101.89	Ordinary Degree

About Our Products

Our CNC stone engraving tools are manufactured using advanced sintering and smelting technologies, incorporating high-quality diamond particles for superior hardness, wear resistance, and longevity. Products are suitable for engraving granite, marble, sandstone, bluestone, and foamed ceramic materials.

Material: Sintered Diamond / PCD / Tungsten Carbide

Applicable: Quartz, Granite, Sandstone, Marble, Bluestone, Foamed Ceramic

Sintered Diamond Cutters — Granite Cutting & Milling

Sintered cutters for milling and cutting, primarily used for engraving hard stones such as granite. Offers long service life and low engraving costs.

Flat-bottom straight blades and ball-nose options for base milling and cutting applications



PRODUCT MATERIAL
Sintered Diamond

APPLICABLE MATERIALS
Quartz , Granite, Sandstone

99

MODELS

\$34

FROM

99

IN STOCK

MODEL	SHK	CED	CEL	OAL	QTY
D-SINS-0620070	6	6	20	70	5
D-SINS-0820070	8	8	20	70	5
D-SINS-0820120	8	8	20	120	5
D-SINS-1020090	10	10	20	90	5
D-SINS-1030090	10	10	30	90	5
D-SINS-1030120	10	10	30	120	5
D-SINS-1230090	12	12	30	90	3
D-SINS-1230120	12	12	30	120	3
D-SINS-1230150	12	12	30	150	3
D-SINS-1630200	16	16	30	200	3
D-SINS-6020060	6	6	20	60	5
D-SINS-6020090	6	6	20	90	5
D-SINS-8020080	8	8	20	80	5
D-SINS-8030090	8	8	30	90	
D-SINS-8020115	8	8	20	115	5
D-SINS-1010020	10	10	20	100	3

Sintered cutters for milling and cutting are typically used for engraving hard stones such as granite, offering advantages including long service life and low engraving costs. For base milling, sintered cutters are primarily flat-bottom straight blades, with the appropriate diameter selected accor...

MODEL	SHK	CED	CEL	OAL	QTY
D-SINS-1012030	10	10	30	120	3
D-SINS-1220090	12	12	20	90	3
D-SINS-1225120	12	12	25	120	3
D-SINS-1212030	12	12	30	120	3
D-SINS-1215030	12	12	30	150	3
D-SINS-1425120	14	14	25	120	3
D-SINS-1425160	14	14	25	160	3
D-SINS-1625120	16	16	25	120	3
D-SINS-1625160	16	16	25	160	3
D-SINS-1625200	16	16	25	200	3
D-SINS-1213020	12.7	13	20	150	1
D-SINS-1512730	12.7	13	30	150	1
D-SINS-2001730	16	17	30	200	1
D-SINS-3001630	16	17	30	300	1
D-SINS-2021260	20	21	30	260	1
D-SINS-1501530	15	15	30	150	1
D-SINS-1501620	16	16	20	150	1
D-SINS-1201625	16	16	25	120	1
D-SINS-1601625	16	16	25	160	1
D-SINS-2001625	16	16	25	200	1
D-SINS-1001001	16	16	25	230	1
D-SINF-0620070	6	6	20	70	5
D-SINF-0820070	8	8	20	70	5
D-SINF-0820120	8	8	20	120	5
D-SINF-0830090	8	8	30	90	5
D-SINF-1020090	10	10	20	90	5
D-SINF-1030100	10	10	30	100	5
D-SINF-1030120	10	10	30	120	5
D-SIFL-0618060	6	6	18	60	5
D-SIFL-0820080	8	8	20	80	5
D-SIFL-1020085	10	10	20	85	5
D-SIFL-1020100	10	10	20	100	5
D-SIFN-1020100	10	10	20	100	5
D-SIFH-0412050	4	4	12	50	5
D-SIFH-0412080	4	4	12	80	5
D-SIFH-0512050	5	5	12	50	5
D-SIFH-0512080	5	5	12	80	5
D-SIFH-0618060	6	6	18	60	5


MODEL	SHK	CED	CEL	OAL	QTY
D-SIFH-0620060	6	6	20	60	5
D-SIFH-0620090	6	6	20	90	5
D-SIFH-0820080	8	8	20	80	5
D-SIFH-0820110	8	8	20	110	5
D-SIFH-0830090	8	8	30	90	5
D-SIFH-1020085	10	10	20	85	5
D-SIFH-1020100	10	10	20	100	5
D-SIFH-1030120	10	10	30	120	5
D-SIFH-1025140	10	10	30	150	5
D-SIFH-1040120	10	10	40	120	5
D-SINF-1230090	12	12	30	90	3
D-SINF-1230120	12	12	30	120	3
D-SINF-1230150	12	12	30	150	3
D-SINF-1430120	14	14	30	120	3
D-SINF-1430160	14	14	30	160	3
D-SINF-1630120	16	16	30	120	3
D-SINF-1630160	16	16	30	160	3
D-SINF-1630200	16	16	30	200	3
D-SIFH-1220080	12	12	20	80	3
D-SIFH-1225120	12	12	25	120	3
D-SIFH-1213025	12	12	13	120	3
D-SFHQ-1225120	12	12	25	120	3
D-SIFH-1230120	12	12	30	120	3
D-SIFH-1230150	12	12	30	150	3
D-SIFH-1240120	12	12	40	120	3
D-SIFH-1425120	14	14	25	120	3
D-SIFH-1425160	14	14	25	160	3
D-SIFH-1625120	16	16	25	120	3
D-SIFH-1625160	16	16	25	160	3
D-SIFH-1625200	16	16	25	200	3
D-SINQ-0604010	6	4	10	60	5
D-SINQ-0615070	6	6	15	70	5
D-SINQ-0820080	8	8	20	80	5
D-SINQ-1030120	10	10	30	120	3
D-SINQ-1230120	12	12	30	120	3
D-SINQ-1230150	12	12	30	150	3
D-SINQ-1630200	16	16	30	200	3
D-SIQH-0603010	6	3	10	60	5

MODEL	SHK	CED	CEL	OAL	QTY
D-SIQH-0604010	6	4	10	60	5
D-SIQH-0605010	6	5	10	60	5
D-SIQH-0615050	6	6	15	50	5
D-SIQH-0820080	8	8	20	80	5
D-SIQH-1020100	10	10	20	100	3
D-SIQH-1225120	12	12	25	120	3
D-SIQH-1230150	12	12	30	150	3

Sintered Diamond Cutters — Granite Relief

Used for granite relief sculptures and high-hardness sandstone. Features multi-layer side edges for extended lifespan.

Tapered cutters for relief engraving with various tip angles



PRODUCT MATERIAL

Sintered Diamond

APPLICABLE MATERIALS

Granite, Sandstone

30

MODELS

\$69

FROM

30

IN STOCK

MODEL	SHK	CED	CEL	OAL	QTY
D-SINT-6218060	6	2	18	60	5
D-SINT-6318060	6	3	18	60	5
D-SINT-6418060	6	4	18	60	5
D-SINT-8325080	8	3	25	80	5
D-SINT-8425080	8	4	25	80	5
D-SINT-1043090	10	4	30	90	5
D-SINT-1063090	10	6	30	90	5
D-SINT-1263012	12	6	30	120	5
D-SINT-1283090	12	8	30	90	5
D-SINT-1283012	12	8	30	120	5
D-SINT-6215055	6	2	15	55	5
D-SINT-6315055	6	3	15	55	5
D-SINT-6415055	6	4	15	55	5
D-SINT-8325800	8	3	25	80	5
D-SINT-8425800	8	4	25	80	5
D-SINT-8625800	8	6	25	80	5
D-SINT-1033010	10	3	30	100	3
D-SINT-1043009	10	4	30	90	3

The sintering knife is mainly used for granite relief sculptures, and it can also be used for sandstone relief sculptures with higher hardness. (If you need to carve soft materials such as marble, it is recommended to use the fusion casting cutters.) Because granite is of high hardness and the sinter...

MODEL	SHK	CED	CEL	OAL	QTY
D-SINT-1063009	10	6	30	90	3
D-SINT-1063010	10	6	30	100	3
D-SINT-1083012	10	8	30	120	3
D-SINT-1064010	10	6	40	100	3
D-SINT-1243010	12	4	30	100	3
D-SINT-1263010	12	6	30	100	3
D-SINT-1263120	12	6	30	120	3
D-SINT-1283011	12	8	30	110	3
D-SINT-1264012	12	6	40	120	3
D-SINT-1284012	12	8	40	120	3
D-SINT-1265012	12	6	50	120	3
D-SINT-1285012	12	8	50	120	3

Granite Relief Specialized Cutters

Specialized in granite relief engraving. Durable blade head, long sharpness retention, 2-5 sqm lifespan.

Durable and sharp cutters for professional relief work



PRODUCT MATERIAL

Sintered Diamond

APPLICABLE MATERIALS

Granite

39

MODELS

\$68

FROM

39

IN STOCK

MODEL	ANGLE°	SHK	CED	CEL	OAL
D-DTS-6320090	9	6	3	20	90
D-DTS-1282095	20	12	8	20	95
D-DTS-1033095	16	10	3	30	95
D-DTS-1033125	16	10	3	30	125
D-DTS-1243095	19	12	4	30	95
D-DTS-1243093	19	12	4	30	93
D-DTS-1243125	19	12	4	30	125
D-DTS-1263095	16	12	6	30	95
D-DTS-1269530	16	12	6	30	95
D-DTS-1263123	16	12	6	30	123
D-DTS-1244095	18	12	4	40	95
D-DTS-1244125	18	12	4	40	125
D-DTS-1264095	15	12	6	40	95
D-DTS-1269540	15	12	6	40	95
D-DTS-1264123	15	12	6	40	123
D-DTS-1264124	15	12	6	40	124
D-DTS-1245125	18	12	4	50	125
D-DTS-1265123	15	12	6	50	123


The blade head is durable and does not easily form steps. The sharpness lasts long and the lifespan is longer. Multi-layer side edges - longer lifespan For most granite relief engraving conditions, the lifespan can reach 2-5 square. The blade head is durable - better effect - higher efficiency. It c...

MODEL	ANGLE°	SHK	CED	CEL	OAL
D-DTS-1265125	15	12	6	50	125
D-DTS-1246125	18	12	4	60	125
D-DTS-1266125	15	12	6	60	125
D-DTS-1261256	16	12	6	60	125
D-DTS-1248165	18	12	4	80	165
D-DTS-1268016	15	12	6	80	165
D-DTS-1280165	15	12	6	80	165
D-DTD-1450125	15	14	6	50	125
D-DTD-1460125	15	14	6	60	125
D-DTD-1480165	12.5	14	4	80	165
D-DTD-1406080	16	14	6	80	165
D-DTD-1404100	18	14	4	100	165
D-DTD-1406100	16	14	6	100	165
D-DTD-1606100	15	16	6	100	185
D-DTD-1606120	15	16	6	120	185
D-DTS-1450125	16	14	6	50	125
D-DTS-1460125	15	14	6	60	125
D-DTS-1480165	18	14	6	80	165
D-DTS-1406100	16	14	6	100	165
D-DTS-1606100	15	16	6	100	185
D-DTS-1606120	15	16	6	120	185

3D Sculpting Specialized Cutters

Featuring multi-layer diamond technology with HSD90 diamond. Reinforced alloy steel body for break resistance.

Long-end tools for 3D round sculpture carving



PRODUCT MATERIAL

Sintered Diamond

APPLICABLE MATERIALS

Bluestone, Granite, Sandstone

46

MODELS

\$90

FROM

MODEL	ANGLE°	SHK	CED	CEL	OAL
D-DTT-832090	14	8	3	20	90
D-DTT-842090	14	8	4	20	90
D-DTT-833090	14	8	3	30	90
D-DTT-843090	14	8	4	30	90
D-DTT-103030	15	10	3	30	90
D-DTT-103120	14	10	3	30	120
D-DTT-104030	15	10	4	30	90
D-DTT-104120	15	10	4	30	120
D-DTT-106030	14	10	6	30	90
D-DTT-124030	16	12	4	30	90
D-DTT-124120	18	12	4	30	120
D-DTT-126030	13	12	6	30	90
D-DTT-126120	15	12	6	30	120
D-DTT-128030	7	12	8	30	90
D-DTT-104040	13	10	4	40	90
D-DTT-104412	13	10	4	40	120

Featuring multi-layer diamond technology for extended lifespan, this tool utilizes HSD90 diamond with a multi-layer side-edge design at the tip. It ensures a longer service life, sustained sharpness, and higher carving efficiency. Designed to handle faster processing demands, it is highly resistant ...

MODEL	ANGLE°	SHK	CED	CEL	OAL
D-DTT-106040	10	10	6	40	90
D-DTT-106120	10	10	6	40	120
D-DTT-103050	13	10	3	50	120
D-DTT-124409	16	12	4	40	90
D-DTT-126040	13	12	6	40	90
D-DTT-126412	13	12	6	40	120
D-DTT-128040	8	12	8	40	90
D-DTT-104050	13	10	4	50	90
D-DTT-104512	13	10	4	50	120
D-DTT-106512	10	10	6	50	120
D-DTT-106050	10	10	6	50	90
D-DTT-124050	16	12	4	50	90
D-DTT-126509	13	12	6	50	90
D-DTT-128050	8	12	8	50	90
D-DTT-126512	10	12	6	50	120
D-DTT-146050	18	14	6	50	90
D-DTT-103060	9	10	3	60	120
D-DTT-104060	9	10	4	60	120
D-DTT-106060	7	10	6	60	120
D-DTT-124060	11	12	4	60	120
D-DTT-126060	10	12	6	60	120
D-DTT-123060	15	12	3	60	120
D-DTT-124050	16	12	4	50	120
D-DTT-126080	7	12	6	80	120
D-DTT-124080	9	12	4	80	120
D-DTT-128080	5	12	8	80	120
D-DTT-124100	9	12	4	100	160
D-DTT-126100	7	12	6	100	160
D-DTT-166120	8	16	6	120	180
D-DTT-168120	7	16	8	120	180

05

MUSHROOM BIT

Sintered Mushroom Bit — Letter Engraving

High efficiency and durability for engraving large letters on granite surfaces.

Dedicated lettering bits with mushroom head design

**13**

MODELS

\$82

FROM

13

IN STOCK

MODEL	ANGLE°	SHK	CED	CEL	OAL
D-MRS-0612045	45	6	1.2	15	50
D-MRS-0612060	60	6	1.2	15	50
D-MRS-0612090	90	6	1.2	15	50
D-MRS-0820060	60	8	2	20	55
D-MRS-0820090	90	8	2	20	55
D-MRS-0820120	120	8	2	20	55
D-MKZ-0660060	60	6	10	7.9	60
D-MKZ-0690060	60	6	10	4.6	60
D-MKZ-0660090	60	6	10	7.9	90
D-MKZ-0690090	60	6	10	4.6	90
D-MKZ-1260074	60	12	20	16	74
D-MKZ-1290073	60	12	20	9.4	73
D-MKZ-0609090	60	6	6	20	90


PCD Stone Tool — Precision Engraving

Perfect for detailed granite carving. Single, double, triple, 4-flute and 6-flute end mills available.

Polycrystalline diamond tools for fine detail work

PRECISE 90° CARVING

Perfect for clean, sharp, and detailed carving



PCD Material Cutting Head



0.4mm Tip
High Precision



90° Right Angle
Controlled Carving



Durable Material
Long-lasting Sharpness



Wide Compatibility
Versatile Use



PRODUCT MATERIAL
Sintered Diamond

APPLICABLE MATERIALS
Granite

158
MODELS

\$104
FROM

158
IN STOCK

MODEL	ANGLE°	SHK	CEL	OAL	QTY
D-PCD6-066004	60	6	—	40	3
D-PCD6-067002	70	6	—	40	3
D-PCD6-067004	70	6	—	40	3
D-PCD6-067006	70	6	—	40	3
D-PCD6-067008	70	6	—	40	3
D-PCD6-067010	70	6	—	40	3
D-PCD6-068004	80	6	—	40	3
D-PCD6-069002	90	6	—	40	3
D-PCD6-069004	90	6	—	80	3
D-PCD6-690480	90	6	—	40	3
D-PCD6-069006	90	6	—	40	3
D-PCD6-069008	90	6	—	40	3
D-PCD6-069010	90	6	—	40	3
D-PCD6-061204	120	6	—	50	3
D-PCD6-087004	70	8	—	50	3
D-PCD6-089004	90	8	—	50	3

Our PCD product line includes single, double, triple, 4-flute, and 6-flute end mills, offering a complete range to meet your needs. They are ideal for fine engraving on granite.

MODEL	ANGLE°	SHK	CEL	OAL	QTY
D-PCD6-081204	120	8	—	50	3
D-PCD6-107004	70	10	—	50	3
D-PCD6-109004	90	10	—	50	3
D-PCD6-101204	120	10	—	50	3
D-PCD6-607002	70	6	—	40	3
D-PCD6-607004	70	6	—	40	3
D-PCD6-607006	70	6	—	40	3
D-PCD6-607008	70	6	—	40	3
D-PCD6-607010	70	6	—	40	3
D-PCD6-609002	90	6	—	40	3
D-PCD6-609004	90	6	—	40	3
D-PCD6-609006	90	6	—	40	3
D-PCD6-609008	90	6	—	40	3
D-PCD6-609010	90	6	—	40	3
D-PCD6-609015	90	6	—	40	3
D-PCD6-807004	70	8	—	50	3
D-PCD6-809004	90	8	—	50	3
D-PCD6-809006	90	8	—	50	3
D-PCD6-809008	90	8	—	50	3
D-PCD6-812004	120	8	—	50	3
D-PCDE-063504	35	6	—	40	3
D-PCDE-064504	45	6	—	40	3
D-PCD1-062252	22.5	6	—	40	3
D-PCD1-062254	22.5	6	—	40	3
D-PCD1-062256	22.5	6	—	40	3
D-PCD1-063002	30	6	—	40	3
D-PCD1-063004	30	6	—	40	3
D-PCD1-063006	30	6	—	40	3
D-PCD1-063008	30	6	—	40	3
D-PCD1-063010	30	6	—	40	3
D-PCD1-063502	35	6	—	40	3
D-PCD1-063504	35	6	—	40	3
D-PCD1-063506	35	6	—	40	3
D-PCD1-063508	35	6	—	40	3
D-PCD1-063510	35	6	—	40	3
D-PCD1-064002	40	6	—	40	3
D-PCD1-064004	40	6	—	40	3
D-PCD1-064006	40	6	—	40	3

MODEL	ANGLE°	SHK	CEL	OAL	QTY
D-PCD1-064008	40	6	—	40	3
D-PCD1-064010	40	6	—	40	3
D-PCD1-064502	45	6	—	40	3
D-PCD1-064504	45	6	—	40	3
D-PCD1-064506	45	6	—	40	3
D-PCD1-064508	45	6	—	40	3
D-PCD1-064510	45	6	—	40	3
D-PCD1-066002	60	6	—	40	3
D-PCD1-066004	60	6	—	40	3
D-PCD1-083504	35	8	—	40	2
D-PCD1-084504	45	8	—	40	2
D-PCD1-086004	60	8	—	40	2
D-PCD1-103504	35	10	—	40	2
D-PCD1-104504	45	10	—	40	2
D-PCD1-106004	60	10	—	40	2
D-PCD2-069002	90	6	—	40	2
D-PCD2-069004	90	6	—	40	2
D-PCD2-069006	90	6	—	40	2
D-PCD2-069008	90	6	—	40	2
D-PCD2-069010	90	6	—	40	2
D-PCD2-067002	70	6	—	40	2
D-PCD2-067004	70	6	—	40	2
D-PCD2-067006	70	6	—	40	2
D-PCD2-067008	70	6	—	40	2
D-PCD2-067010	70	6	—	40	2
D-PCD2-068004	80	6	—	40	2
D-PCD2-068006	80	6	—	40	2
D-PCD2-612004	120	6	—	40	2
D-PCD2-087004	70	8	—	50	2
D-PCD2-089004	90	8	—	50	2
D-PCD2-107004	70	10	—	50	2
D-PCD2-109004	90	10	—	50	2
D-PC3E-7045004	70	6	—	43	3
D-PC3E-7045006	70	6	—	43	3
D-PC3E-7045008	70	6	—	43	3
D-PC3E-7045010	70	6	—	43	3
D-PC3E-9050004	90	6	—	43	3
D-PC3E-9050006	90	6	—	43	3

MODEL	ANGLE°	SHK	CEL	OAL	QTY
D-PC3E-9050008	90	6	—	43	3
D-PC3E-9050010	90	6	—	43	3
D-PC3F-9060004	90	6	—	48	3
D-PC3F-9060006	90	6	—	48	3
D-PC3F-9060008	90	6	—	48	3
D-PCH4-066004	60	6	—	40	2
D-PCH4-067002	70	6	—	40	2
D-PCH4-067004	70	6	—	40	2
D-PCH4-067006	70	6	—	40	2
D-PCH4-067008	70	6	—	40	2
D-PCH4-067010	70	6	—	40	2
D-PCH4-068004	80	6	—	40	2
D-PCH4-069002	90	6	—	40	2
D-PCH4-069004	90	6	—	40	2
D-PCH4-069006	90	6	—	40	2
D-PCH4-069008	90	6	—	40	2
D-PCH4-069010	90	6	—	40	2
D-PCH4-612004	120	6	—	40	2
D-PCH4-087004	70	8	—	50	2
D-PCH4-089004	90	8	—	50	2
D-PCH4-107004	70	10	—	50	1
D-PCH4-109004	90	10	—	50	1
D-PD4E-107004	70	10	—	60	2
D-PD4E-107006	70	10	—	60	2
D-PD4E-107008	70	10	—	60	2
D-PD4E-107010	70	10	—	60	2
D-PD4E-109004	90	10	—	60	2
D-PD4E-109006	90	10	—	60	2
D-PD4E-109008	90	10	—	60	2
D-PD4E-109010	90	10	—	60	2
D-PCD3-067002	70	6	—	40	3
D-PCD3-067004	70	6	—	40	3
D-PCD3-067006	70	6	—	40	3
D-PCD3-067008	70	6	—	40	3
D-PCD3-067010	70	6	—	40	3
D-PCD3-069002	90	6	—	40	3
D-PCD3-069004	90	6	—	40	3
D-PCD3-069006	90	6	—	40	3

FINE GRANITE CARVING

PCD Diamond Cutting Edge

- Stable Hexagonal Body
- Wear-Resistant Tip
- Multi-Angle Cutting

60° 90° 120°

STONE CNC TOOL | GRANITE PROCESSING | PRECISION MACHINING

DOUBLE-EDGE CUTTING

Smoother Carving • Stable Performance

- Precision Stone Carving
- PCD Diamond Edge
- Granite & Marble
- CNC Engraving

2 CUTTING EDGES

STONE CNC TOOL | PRECISION MACHINING



MODEL	ANGLE°	SHK	CEL	OAL	QTY
D-PCD3-069008	90	6	—	40	3
D-PCD3-069010	90	6	—	40	3
D-DIC-0602302	30	6	—	40	2
D-DIC-0604302	30	6	—	40	2
D-DIC-0606302	30	6	—	40	2
D-DIC-0608302	30	6	—	40	2
D-DIC-0610302	30	6	—	40	2
D-DIC-0602352	35	6	—	40	2
D-DIC-0604352	35	6	—	40	2
D-DIC-0606352	35	6	—	40	2
D-DIC-0608352	35	6	—	40	2
D-DIC-0610352	35	6	—	40	2
D-DIC-0602452	45	6	—	40	2
D-DIC-0604452	45	6	—	40	2
D-DIC-0606452	45	6	—	40	2
D-DIC-0608452	45	6	—	40	2
D-DIC-0610452	45	6	—	40	2
D-DIC-0602602	60	6	—	40	2
D-DIC-0604602	60	6	—	40	2
D-DIC-0804353	35	8	—	50	2
D-DIC-0804453	45	8	—	50	2
D-DIC-0804603	60	8	—	50	2
D-DIC-1004353	35	10	—	50	2
D-DIC-1004453	45	10	—	50	2
D-DIC-1004603	60	10	—	50	2
D-DIC-1204353	35	12	—	60	2
D-DIC-1204453	45	12	—	60	2
D-DIC-1204603	60	12	—	60	2



Emery Diamond Cutters — Flat Head

For softer stones like marble, bluestone and sandstone. High carving speed with excellent finish quality.

Flat-end cutters for bottom milling and cutting



PRODUCT MATERIAL
Sintered Diamond

APPLICABLE MATERIALS
Quartz , Bluestone, Sandstone

41

MODELS

\$40

FROM

41

IN STOCK

MODEL	SHK	CED	CEL	OAL	QTY
D-EDF-3031060	3	3	10	60	5
D-EDF-4041060	4	4	10	60	5
D-EDF-0637060	6	3	7	60	5
D-EDF-0649060	6	4	9	60	5
D-EDF-0658060	6	5	8	60	5
D-EDF-0666060	6	6	6	60	5
D-EDF-0661260	6	6	12	60	5
D-EDF-0662090	6	6	20	90	5
D-EDF-6062090	6	6	20	90	5
D-EDF-0663090	6	6	30	90	5
D-EDF-0886060	8	8	6	60	5
D-EDF-0881260	8	8	12	60	5
D-EDF-0882090	8	8	20	90	5
D-EDF-8082090	8	8	20	90	5
D-EDF-8820120	8	8	20	120	5
D-EDF-0883090	8	8	30	90	5

Sintered Diamond Tools for Bottom Milling and Cutting These tools are generally used for carving softer stones such as marble, bluestone, and sandstone. They offer advantages such as high carving speed and excellent finish quality. For Bottom Milling: Select a straight flat-end bit with a correspond...

MODEL	SHK	CED	CEL	OAL	QTY
D-EDF-8830120	8	8	30	120	5
D-EDF-1010126	10	10	12	60	3
D-EDF-1010129	10	10	20	90	3
D-EDF-1020090	10	10	30	90	3
D-EDF-1010259	10	10	25	90	3
D-EDF-1010309	10	10	30	90	3
D-EDF-1011121	10	11	12	120	3
D-EDF-1011201	10	11	20	120	3
D-EDF-1212060	12	12	12	60	3
D-EDF-1220090	12	12	20	90	3
D-EDF-1230090	12	12	30	90	3
D-EDF-1213120	12	13	12	120	2
D-EDF-1213201	12	13	20	120	2
D-EDF-1213301	12	13	30	120	2
D-EDF-1213401	12	13	40	120	2
D-EDF-1213160	12	13	12	160	2
D-EDF-1320160	12	13	20	160	2
D-EDF-1360120	12	12	60	120	2
D-EDF-1720120	16	16	20	120	2
D-EDF-1720180	16	16	20	180	2
D-EDF-1730180	16	16	30	180	2
D-EDK-0612060	6	6	12	60	5
D-EDK-0812060	8	8	12	60	5
D-EDK-1012060	10	10	12	60	5
D-EDK-1212060	12	12	12	60	5

Emery Diamond Cutters — Ball Nose

Diamond particles dissolved into blade matrix using smelting process. Sharp and durable.

Ball-nose cutters for 3D contouring and finishing



PRODUCT MATERIAL
Sintered Diamond

APPLICABLE MATERIALS
Quartz, Bluestone, Sandstone

26

MODELS

\$46

FROM

26

IN STOCK

MODEL	SHK	CED	CEL	OAL	QTY
D-EDB-3310060	3	3	10	60	5
D-EDB-4410060	4	4	10	60	5
D-EDB-6307060	6	3	7	60	5
D-EDB-6409060	6	4	9	60	5
D-EDB-6612060	6	6	12	60	5
D-EDB-6620090	6	6	20	90	5
D-EDB-8812060	8	8	12	60	5
D-EDB-8820090	8	8	20	90	5
D-EDB-8830090	8	8	30	90	5
D-EDB-1012060	10	10	12	60	3
D-EDB-1020090	10	10	20	90	3
D-EDB-1030090	10	10	30	90	3
D-EDB-1212060	12	12	12	60	3
D-EDB-1220090	12	12	20	90	3
D-EDB-1230090	12	12	30	90	3
D-EDB-1011121	10	11	12	120	3
D-EDB-1011201	10	11	20	120	3
D-EDB-1011301	10	11	30	120	3

Diamond particles are dissolved into the blade matrix using a smelting process, delivering sharpness and durability.

MODEL	SHK	CED	CEL	OAL	QTY
D-EDB-1011401	10	11	40	120	3
D-EDB-1011501	10	11	50	120	3
D-EDB-1213121	12	13	12	120	3
D-EDB-1213201	12	13	20	120	3
D-EDB-1213401	12	13	40	120	3
D-EDB-1212160	12	13	12	160	2
D-EDB-1220160	12	13	20	160	2
D-EDB-1620180	16	17	20	180	2

Tapered Head Stone Cutters

Solid tungsten carbide body with advanced smelting technology. High hardness and wear resistance.

V-bit style cutters for detail engraving



PRODUCT MATERIAL

Sintered Diamond

APPLICABLE MATERIALS

Marble , Blutestone, Sandstone

27

MODELS

\$45

FROM

27

IN STOCK

MODEL	SHK	CED	CEL	OAL	QTY
D-EDT-6112060	6	1	12	60	5
D-EDT-6156060	6	1.5	6	60	5
D-EDT-6157060	6	1.5	7	60	5
D-EDT-6151260	6	1.5	12	60	5
D-EDT-6152060	6	1.5	20	60	5
D-EDT-6153090	6	1.5	30	90	5
D-EDT-6212060	6	2	12	60	5
D-EDT-6220060	6	2	20	60	5
D-EDT-6230090	6	2	30	90	5
D-EDT-6250090	6	2	50	90	5
D-EDT-6312060	6	3	12	60	5
D-EDT-6320060	6	3	20	60	5
D-EDT-6330090	6	3	30	90	5
D-EDT-6350090	6	3	50	90	5
D-EDT-6412060	6	4	12	60	5
D-EDT-6420060	6	4	20	60	5
D-EDT-8220070	8	2	20	70	5
D-EDT-8230090	8	2	30	90	5

The blade body is constructed entirely from solid tungsten carbide. Utilizing advanced smelting and fusing technology for diamond particles, it offers high hardness, excellent wear and heat resistance, and ensures the blade tip remains deformation-free.

MODEL	SHK	CED	CEL	OAL	QTY
D-EDT-8320070	8	3	20	70	5
D-EDT-8330090	8	3	30	90	5
D-EDT-8420070	8	4	20	70	5
D-EDT-8430090	8	4	30	90	5
D-EDT-8630090	8	6	30	90	5
D-EDT-8240090	8	2	40	90	5
D-EDT-8340090	8	3	40	90	5
D-EDT-8250090	8	2	50	90	5
D-EDT-8350090	8	3	50	90	5

Smelting Taper Stone Cutters

For small character engraving on granite. Includes mushroom head end mills and flat-bottom straight bits.

Versatile taper cutters for text and relief work

60°-120° Angle Range

Clear Profile Comparison

Multi-Angle Options



PRODUCT MATERIAL

Sintered Diamond

APPLICABLE MATERIALS

Granite , Marble , Bluestone, Sandstone

6

MODELS

\$67

FROM

6

IN STOCK

MODEL	ANGLE°	SHK	CED	CEL	OAL
D-EDT-6601009	60	6	2	9	50
D-EDT-6901005	90	6	2	5	50
D-EDT-8600805	60	8	2	5	60
D-EDT-8902209	90	8	2	9	48
D-EDT-8120229	120	8	2	9	50
D-EDT-8902214	90	8	2	14	50

Can be used for engraving small characters on granite. Suitable for customers who do not require high engraving quality (for better results, please use PCD tools). Using this type of tool for small character engraving is considered an "experience-based" technique (the engraving result may have sligh...

Diamond Marble Engraving Bit

Suitable for marble, bluestone, white marble and sandstone. Ideal for relief, lettering and sculpture.

Versatile bits for various stone engraving applications

SHARP & WEAR-RESISTANT
For Precision Grinding & Fine Carving

Sharp Spiral Tip
Easy starting, precise carving

Premium Diamond Grit
High hardness, longer lifespan

Smooth Grinding
Fine finish, less chipping

Universal Fit
Compatible with most rotary tools

PRODUCT MATERIAL
Sintered Diamond

APPLICABLE MATERIALS
Foamed Ceramic , Blutestone, Marble

90
MODELS

\$60
FROM

90
IN STOCK

MODEL	SHK	CED	CEL	QTY	REMARK
D-DTT-0603060	6	3	60	5	—
D-DTT-0604060	6	4	60	5	—
D-DTT-0602060	6	2	60	5	—
D-DTT-0815060	8	1.5	60	5	—
D-DTT-0803060	8	3	60	5	—
D-DTT-0806060	8	6	60	5	—
D-DTT-0802060	8	2	60	5	—
D-DTT-0804080	8	4	80	5	—
D-DTT-1004080	10	4	80	5	—
D-DTT-1003080	10	3	80	5	—
D-DTT-0802080	8	2	80	5	—
D-DTT-1002080	10	2	80	5	—
D-DTT-1006080	10	6	80	5	—
D-DTT-0803080	8	3	80	5	—
D-DTT-0806080	8	6	80	5	—
D-DTT-0804060	8	4	60	5	—

Suitable for engraving various stones such as marble, bluestone, white marble, and sandstone. Ideal for relief carving, lettering, round sculpture, pattern grinding, and line cutting

MODEL	SHK	CED	CEL	QTY	REMARK
D-DTT-1206140	12	6	140	5	—
D-DTT-1203140	12	3	140	5	—
D-DTT-1006120	10	6	120	5	—
D-DTT-1004120	10	4	120	5	—
D-DTT-1006100	10	6	100	5	—
D-DTT-1004100	10	4	100	5	—
D-DTT-1003100	10	3	100	5	—
D-DTT-1002100	10	2	100	5	—
D-DTT-1204140	12	4	140	5	—
D-DTT-1003120	10	3	120	5	—
D-DTT-1002120	10	2	120	5	—
D-DTT-1002050	10	2	50	5	—
D-DTT-1003050	10	3	50	5	—
D-DTT-1004050	10	4	50	5	—
D-DTT-1006050	10	6	50	5	—
D-DTT-1002060	10	2	60	5	—
D-DTT-1003060	10	3	60	5	—
D-DTT-1004060	10	4	60	5	—
D-DTT-1006060	10	6	60	5	—
D-DTT-1203050	12	3	50	5	—
D-DTT-1204050	12	4	50	5	—
D-DTT-1206050	12	6	50	5	—
D-DTT-1203060	12	3	60	5	—
D-DTT-1204060	12	4	60	5	—
D-DTT-1206060	12	6	60	5	—
D-DTT-1208060	12	8	60	5	—
D-DTT-1203080	12	3	80	5	—
D-DTT-1204080	12	4	80	5	—
D-DTT-1206080	12	6	80	5	—
D-DTT-1208080	12	8	80	5	—
D-DTT-1203100	12	3	100	5	—
D-DTT-1204100	12	4	100	5	—
D-DTT-1206100	12	6	100	5	—
D-DTT-1208100	12	8	100	5	—
D-DTT-1203120	12	3	120	5	—
D-DTT-1204120	12	4	120	5	—
D-DTT-1206120	12	6	120	5	—
D-DTT-1208120	12	8	120	5	—

MODEL	SHK	CED	CEL	QTY	REMARK
D-DTT-1446012	14	4	60	2	—
D-DTT-1466012	14	6	60	2	—
D-DTT-1448015	14	4	80	2	—
D-DTT-1468015	14	6	80	2	—
D-DTT-1681521	16	8	150	2	—
D-DTT-1431015	14	3	100	2	—
D-DTT-1441015	14	4	100	2	—
D-DTT-1641825	16	4	180	2	—
D-DTT-1441510	14	4	100	2	Durable
D-DTT-1461015	14	6	100	2	—
D-DTT-1461510	14	6	100	2	Durable
D-DTT-1661825	16	6	180	2	—
D-DTT-1431218	14	3	120	2	—
D-DTT-1642025	16	4	200	2	—
D-DTT-1441218	14	4	120	2	—
D-DTT-1441812	14	4	120	2	Durable
D-DTT-1461218	14	6	120	2	—
D-DTT-1461812	14	6	120	2	Durable
D-DTT-1431520	14	3	150	2	—
D-DTT-1441520	14	4	150	2	—
D-DTT-1461520	14	6	150	2	—
D-DTT-1648015	16	4	80	2	—
D-DTT-1662025	16	6	200	2	—
D-DTT-2061825	20	6	180	2	—
D-DTT-2062230	20	6	220	2	—
D-DTT-1668015	16	6	80	2	—
D-DTT-1641018	16	4	100	2	—
D-DTT-1661018	16	6	100	2	—
D-DTT-1681018	16	8	100	2	—
D-DTT-1631218	16	3	120	2	—
D-DTT-1641218	16	4	120	2	—
D-DTT-1661218	16	6	120	2	—
D-DTT-1681218	16	8	120	2	—
D-DTT-1631521	16	3	150	2	—
D-DTT-1641521	16	4	150	2	—
D-DTT-1661521	16	6	150	2	—

Marble Round Sculpture Cutters

Long-end cutters specifically designed for 3D round sculpture on marble and soft stones.

Safety-focused design with detailed operating instructions



PRODUCT MATERIAL
Sintered Diamond

APPLICABLE MATERIALS
Blutestone, Marble, Sandstone.

50
MODELS

\$42
FROM

50
IN STOCK

MODEL	ANGLE°	SHK	CED	CEL	OAL
D-EDT-0621260	19	6	2	12	60
D-EDT-0631260	14	6	3	12	60
D-EDT-0641260	9.5	6	4	12	60
D-EDT-0632060	19	6	3	20	60
D-EDT-0832060	17	8	3	20	60
D-EDT-0842060	14	8	4	20	60
D-EDT-0852060	11	8	5	20	60
D-EDT-0832090	17	8	3	20	90
D-EDT-0842090	14	8	4	20	90
D-EDT-0862090	11	8	6	20	90
D-EDT-1032090	23	10	3	20	90
D-EDT-1042090	20	10	4	20	90
D-EDT-1062090	14	10	6	20	90
D-EDT-0833090	17	8	3	30	90
D-EDT-0843090	14	8	4	30	90
D-EDT-0853090	11	8	5	30	90

Safety & Operating Instructions 1. Ensure Proper Tool Alignment Due to the considerable overall length of the round carving cutter, special attention must be paid to ensure the tool is perfectly aligned during installation. Even a slight deviation can cause significant centrifugal force at the tool ...

MODEL	ANGLE°	SHK	CED	CEL	OAL
D-EDT-0863090	9	8	6	30	90
D-EDT-1033090	15	10	3	30	90
D-EDT-1043090	13	10	4	30	90
D-EDT-1063090	10	10	6	30	90
D-EDT-1083090	6	10	8	30	90
D-EDT-1243090	17	12	4	30	90
D-EDT-1263090	14	12	6	30	90
D-EDT-1034090	15	10	3	40	90
D-EDT-1044090	13	10	4	40	90
D-EDT-1064090	10	10	6	40	90
D-EDT-1234090	20	12	3	40	90
D-EDT-1244090	18	12	4	40	90
D-EDT-1264090	14	12	6	40	90
D-EDT-1284090	6	12	8	40	90
D-EDT-1244120	18	12	4	40	120
D-EDT-1264120	14	12	6	40	120
D-EDT-1035090	15	10	3	50	90
D-EDT-1045090	13	10	4	50	90
D-EDT-1055090	11	10	5	50	90
D-EDT-1065090	10	10	6	50	90
D-EDT-1085090	6	10	8	50	90
D-EDT-1235090	20	12	3	50	90
D-EDT-1245090	18	12	4	50	90
D-EDT-1265090	14	12	6	50	90
D-EDT-1245120	18	12	4	50	120
D-EDT-1265120	14	12	6	50	120
D-DTC-0862060	8	8	6	20	60
D-DTC-1063090	10	10	6	30	90
D-DTC-1263090	12	12	6	30	90
D-DTC-1064090	10	10	6	40	90
D-DTC-1264090	12	12	6	40	90
D-DTC-1265090	12	12	6	50	90
D-DTT-0863090	8	8	6	30	90
D-DTT-1043090	10	10	4	30	90

Foamed Ceramic Ball-Nose Cutter

Diamond particles dissolved into blade matrix using smelting process. Sharp and durable.

Ball-nose cutters for foamed ceramic materials



PRODUCT MATERIAL
Sintered Diamond

APPLICABLE MATERIALS
Foamed Ceramic , Bluestone, Marble

13

MODELS

\$80

FROM

13

IN STOCK

MODEL	SHK	CED	CEL	OAL	QTY
D-EDQ-0660100	6	6	60	100	5
D-EDQ-0680120	6	6	80	120	5
D-EDQ-0860100	8	8	60	100	5
D-EDQ-0890120	8	8	90	120	5
D-EDQ-1060120	10	10	60	120	3
D-EDQ-1080120	10	10	80	120	3
D-EDQ-1010150	10	10	100	150	3
D-EDQ-1260120	12	12	60	120	3
D-EDQ-1280120	12	12	80	120	3
D-EDQ-1210150	12	12	100	150	3
D-EDQ-1212180	12	12	120	180	3
D-EDQ-1214180	12	12	140	180	3
D-EDQ-1620250	16	16	200	250	3

Diamond particles are dissolved into the blade matrix using a smelting process, delivering sharpness and durability.

Foamed Ceramic Dedicated — Flat Head

Flat-end cutters dedicated for foamed ceramic processing. Cost-effective and efficient.

Flat-head tools for flat surface processing



32

MODELS

\$34

FROM

32

IN STOCK

MODEL	SHK	CED	CEL	OAL	QTY
D-FCP-0607060	6	7	60	120	3
D-FCP-0809020	8	9	20	120	3
D-FCP-0809080	8	9	80	120	3
D-FCP-1011100	10	11	100	160	3
D-FCP-1213100	12	13	100	160	3
D-FCD-1660015	16	60	15	100	3
D-FCP-1617150	16	17	150	230	3
D-FCP-1215030	12	15	30	90	3
D-FCP-1220030	12	20	30	90	3
D-FCQ-0607060	6	7	60	120	3
D-FCQ-0809060	8	9	60	120	3
D-FCQ-0809080	8	9	80	120	3
D-FCQ-1011100	10	11	100	160	3
D-FCQ-1213100	12	13	100	160	3
D-FCQ-1617150	16	17	150	230	3
D-FCR-1216022	12	16	22	60	3
D-FCR-1220022	12	20	22	60	3
D-FCR-1230015	12	30	15	65	3


MODEL	SHK	CED	CEL	OAL	QTY
D-FCR-1240020	12	40	20	70	3
D-FCR-1250025	12	50	25	75	3
D-FCR-1660032	16	60	32	82	3
D-FCD-1250015	12	50	15	100	3
D-FCC-1240020	12	40	20	60	3
D-FCC-1660030	16	60	30	70	3
D-FCP-1011812	10	11	80	120	3
D-FCP-1213812	12	13	80	120	3
D-FCP-1225401	12	25	40	100	3
D-FCP-1230410	12	30	40	100	3
D-FCP-1240410	12	40	40	100	3
D-FCQ-0868012	8	6	80	120	3
D-FCC-1250266	12	50	26	66	3
D-FCC-1673882	16	70	38	82	3



Carbide Cutters

Tungsten carbide V-bit cutters for stone engraving. Available in standard and custom angles.

Economical carbide options for various applications



PRODUCT MATERIAL
High-performance Alloy Material

APPLICABLE MATERIALS
Blutestone, Marble

14
MODELS

\$57
FROM

14
IN STOCK

MODEL	ANGLE°	SHK	CED	OAL	QTY
C-VSB-030	30	6	12	70	10
C-VSB-045	45	6	6	65	10
C-VSB-060	60	6	6	65	10
C-VSB-075	75	6	6	65	10
C-VSB-090	90	6	6	65	10
C-VSB-890	90	8	8	70	10
C-VSB-120	120	8	14	70	10
C-VSA-030	30	6	12	70	10
C-VSA-045	45	6	6	65	10
C-VSA-060	60	6	6	65	10
C-VSA-075	75	6	6	65	10
C-VSA-090	90	6	6	65	10
C-VSA-890	90	8	8	70	10
C-VSA-120	120	8	14	70	10

Thank You

For inquiries, custom orders, or technical
support,
please contact our sales team.

✉ Email: astech.sales@hotmail.com

🌐 Web: www.stechtol.com

📱 WhatsApp: +86 156 6640 6628

All prices are subject to change without notice. ©
2026 Stone Tool Manufacturer. All rights reserved.